
### RESTYLANE® for men Look what this leading aesthetic treatment can do for you



RETURAL BEAUTY MADE IN SWEDEN

## RESTYLANE is the most tried and tested aesthetic treatment in its class with outstanding safety performance over more than 10 years

#### RESTYLANE combats the signs of ageing

Youthful skin is naturally rich in a substance called hyaluronic acid (HA) which binds water to keep skin looking healthy, hydrated and firm.

But as we age, our HA becomes less efficient, leading to loss of support in the skin, loss of firmness and the appearance of lines.

RESTYLANE is an injectable form of pure HA that closely resembles the body's own natural HA.

When injected into the skin, RESTYLANE counters the visible effects of ageing.

# Before After treatment with RESTYLANE Nose-to-mouth lines After treatment with RESTYLANE After treatment with RESTYLANE

### RESTYLANE revitalises looks – in less than an hour

RESTYLANE gives your looks an immediate boost – smoother, healthier, more youthful-looking skin.

RESTYLANE can also restore high cheek bones or correct a weak, receded chin.

RESTYLANE has the added advantages of stimulating collagen production and improving skin elasticity – both of which have been proven in recent clinical studies.<sup>1,2</sup>

RESTYLANE treatment usually takes no more than 30 minutes. You can see the results instantly and it's long lasting too: from 6 to 9 months in cheeks/chin and around a year in facial lines.




When considering aesthetic products, safety has to come first. At your consultation with your medical aesthetics practitioner you need to ask for RESTYLANE by name.

Restylane NATURAL BEAUTY MADE IN SWEDEN

Visit: www.restylaneformen.co.uk or call 0800 015 5548 for details of RESTYLANE medical aesthetics practitioners in your local area

### RESTYLANE is designed to work at different levels in the skin to produce optimal treatment results



References: I. Wang F, Garza LA, Kang S et al. In vivo stimulation of de novo collagen production caused by cross-linked hyaluronic acid dermal filler injections in photodamaged human skin. Arch Dermatol 2007; 143: 155-163. 2. Kerscher M, Reuther T, Bayrhammer J, Krüger N from the Division of Cosmetic Sciences at the University of Hamburg, Germany. Study of the effects of a stabilized hyaluronic acid-based gel of non-animal origin on the biophysical properties of the skin. Poster presented at the AAD Annual Meeting, 2007.



### Q-MED

Q-MED (UK) Ltd, 6th Floor, 10 Dean Farrar Street, London SW1H 0DX Phone: +44(0)20 7976 3290 Fax: +44(0)20 7976 3299 info.uk@q-med.com

www.restylaneformen.co.uk

www.restylane.co.uk